



CENTRAL ILLINOIS PEDIATRIC ASSOCIATES

PREVENTIVE PEDIATRIC CHECKUPS, LABS & IMMUNIZATION SCHEDULE

Please make WELL CHECK EXAMINATION appointment 1-2 months in advance and inform the staff if you need school, camp or sports physical form completed at the time of visit. You may be asked to fill some questionnaires at the well check visit. After 2 years of age, a routine yearly well check examination on, or just after the child's birthday is highly recommended. This will eliminate the need for any additional appointment for SCHOOL, CAMP OR SPORTS physical. We follow American Academy of Pediatrics periodicity schedule.

AGE	SCREENING QUESTIONNAIRES	SCREENING TEST	IMMUNIZATIONS
3-7 DAYS		NO LABS	NO IMMUNIZATIONS
2 WEEKS		NO LABS	NO IMMUNIZATIONS
1 MONTH	Postpartum Depression Screen, TB Screen	NO LABS	NO IMMUNIZATIONS
2 MONTHS	Postpartum Depression Screen	NO LABS	1. Pentacel 2. Prevnar 3. Hepatitis B 4. Rotavirus
4 MONTHS	Postpartum Depression Screen, Anemia Screen	(Hemoglobin)	1. Pentacel 2. Prevnar 3. Rotavirus (*Hepatitis B)
6 MONTHS	Postpartum Depression Screen, Lead & TB Screen	NO LABS	1. Pentacel 2. Prevnar 3. Rotavirus
9 MONTHS	Lead Screen, TB Screen, ASQ-3 Screen	NO LABS	1. Hepatitis B
12 MONTHS	TB Screen	Lead, Hemoglobin	1. Varicella 2. MMR 3. Hepatitis A
15 MONTHS	Lead Screen	NO LABS	1. Pentacel 2. Prevnar
18 MONTHS	M-CHAT, Lead Screen ASQ-3 Screen	NO LABS	1. Hepatitis A
24 MONTHS	M-CHAT, TB Screen, Dyslipidemia Screen	Lead	ONLY IF NEEDS CATCH-UP VACCINE
30 MONTHS	Lead Screen, ASQ-3 Screen	NO LABS	ONLY IF NEEDS CATCH-UP VACCINE
3 YEARS	Lead Screen, TB Screen	Vision	ONLY IF NEEDS CATCH-UP VACCINE
4 YEARS	Lead Screen, TB Screen, Dyslipidemia Screen	Vision	1. MMR 2. Varicella
5 YEARS	Lead Screen, TB Screen	Vision(Ophthalmologist)	1. DTaP and 2. IPV OR combined as Quadracel
6 YEARS	Lead Screen, TB Screen, Dyslipidemia Screen	Vision	ONLY IF NEEDS CATCH-UP VACCINE
7 YEARS	TB Screen	NO LABS	ONLY IF NEEDS CATCH-UP VACCINE
8 YEARS	TB Screen, Dyslipidemia Screen	Vision	ONLY IF NEEDS CATCH-UP VACCINE
9 YEARS	TB Screen, Dyslipidemia Screen	NO LABS	ONLY IF NEEDS CATCH-UP VACCINE
10 YEARS	TB Screen	Vision, Lipid Profile	ONLY IF NEEDS CATCH-UP VACCINE
11 YEARS	TB screen	Vision	1. Tdap 2. Meningococcal Meningitis
12 YEARS	TB , Depression , Dyslipidemia & CRAFFT Screen	NO LABS	1. HPV (2 Doses)
13 YEARS	TB , Depression , Dyslipidemia & CRAFFT Screen	NO LABS	ONLY IF NEEDS CATCH-UP VACCINE
14 YEARS	TB , Depression , Dyslipidemia & CRAFFT Screen	NO LABS	ONLY IF NEEDS CATCH-UP VACCINE
15 YEARS	TB , Depression , Dyslipidemia & CRAFFT Screen	Vision	ONLY IF NEEDS CATCH-UP VACCINE
16 YEARS	TB , Depression , Dyslipidemia & CRAFFT Screen	NO LABS	1. Meningococcal ACYW 2. Meningococcal B
17 YEARS	TB , Depression , Dyslipidemia & CRAFFT Screen	NO LABS	ONLY IF NEEDS CATCH-UP VACCINE
18 YEARS	TB , Depression & CRAFFT Screen	Vision, Lipid Profile	ONLY IF NEEDS CATCH-UP VACCINE
19 YEARS	TB , Depression , Dyslipidemia & CRAFFT Screen	NO LABS	ONLY IF NEEDS CATCH-UP VACCINE
20 YEARS	TB , Depression , Dyslipidemia & CRAFFT Screen	NO LABS	ONLY IF NEEDS CATCH-UP VACCINE
21 YEARS	TB , Depression , Dyslipidemia & CRAFFT Screen	NO LABS	ONLY IF NEEDS CATCH-UP VACCINE

YEARLY INFLUENZA VACCINE IS RECOMMENDED FOR ALL PATIENTS OF MORE THAN 6 MONTHS OF AGE

TYPHOID VACCINE FOR CHILD (2 years and above) Travelling, moving or studying in high risk area; *HEPATITIS B -If did not receive 1st dose at birth

Pentacel	DTaP + HiB + IPV	Varicella	CHICKEN POX
Hib	HEMOPHILLUS INFLUENZA	MMR	MEASLES, MUMPS, RUBELLA
PREVNAR	PNEUMOCOCCAL	Tdap	TETANUS BOOSTER
IPV	INJECTABLE POLIO	HPV	HUMAN PAPPILOMA VIRUS
DTaP	DIPHThERIA, TETANUS, PERTUSSIS	Meningococcal	SPINAL MENINGITIS